

Risk Assessment - 249RA

Internal Reference: (School Activity Days 2022-23) Information valid as of 27/05/2022 09:41



General Details

Assessor	Lynda Pearce	Associated with specific area
Assessment Date	24/05/2022	Museums and Culture
Assigned Reviewer	Lynda Pearce	Dover Museum
Next Review Date	24/05/2023	
		1
Operation Assessed	Risk Assessment for Workshops KS1 & KS2	
		1
Description of work area	and/or activity assessed	

own risk assessments



Persons Affected		
😤 Children		
酱 Employees		
嶜 Visitors		
🐸 Volunteers		

Hazards

Current Rating	Hazard Information		Task Status
Low	Slip / Trip / Fall Trips slips and f	alls when moving between rooms where activities are taking place	0 0 0
	Measures Currently in place to prevent risk of injury		
	and accompanying he	und between activities sensibly in pairs. Children told not to run. Children remai elpers at all times. useum and trained first aid staff in museum in addition to those with the school	n under control of teacher
	Potential Rating	Additional Controls Required	

Potential Rating	Additional Controls Required
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.

Current Rating	Hazard Information	Task Status
Low	Slip / Trip / Fall Risk of injury whilst undertaking art activities	0 0 0
	Measures Currently in place to prevent risk of injury	
	Pupils are told to behave in a sensible manner. All equipment used is supervised and any necessary training is given prior to use. All equipment is child safe. Children remain under control of teacher and accompanying helpers at all times. Art session will be stopped if any child seen behaving in a manner likely to cause injury to themselves First Aid Kit kept at museum. Trained first aiders amongst museum staff.	or another.

Potential Rating	Additional Controls Required
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.

Current Rating	Hazard Information	Task Status	
Low	Artefact Handling: cuts or bruised toes from mishandling artefacts during session	0 0 0	
	Measures Currently in place to prevent risk of injury		
	Pupils are told to pass the artefacts around carefully and be careful when handling them. Artefacts are only passed around when pupils sitting sensibly. Children remain under control of teacher and accompanying helpers at all times. Artefacts will not be passed to anyone not behaving properly. Any child not behaving in an appropriat go and sit with the teacher. Artefacts regularly checked to make sure they are safe.	e manner will be asked to	



	Current Rating	Hazard Information	Task Status
	Low	Slip / Trip / Fall Artefact Handling in Cinema Area, risk of trip and falls due to lighting	0 0 0
Measure		Measures Currently in place to prevent risk of injury	
		Extra lighting will be put in place for sessions. Children will be instructed to move sensibly in the area their teachers.	under the supervision of

Potential Rating	Additional Controls Required	
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.	

Current Rating	Hazard Information	Task Status
Low	A Machinery Risk of injury when using interactives in galleries or workshops	1 0 0
	Measures Currently in place to prevent risk of injury	
	Pupils should follow instructions for using interactives. Pupils should use interactives in small groups adult. Pupils remain under control of the teacher and accompanying helpers at all times.	under supervision of an

Potential Rating	Additional Controls Required		
Low	Additonal Controls and Actions	Due by / Whom	Action Status
	First Aid Kit in Museum and Education Room. Trained first aiders amongst museum staff in addition to those accompanying school group	01/07/2022 L.Pearce	Pending

Current Rating	Hazard Information	Task Status
Low	Other (See: Hazard Details) Safeguarding: Pupils share facilities with the general public.	0 0 0
	Measures Currently in place to prevent risk of injury	
	Pupils should not use toilets without an accompanying adult from the school group. Museum staff will return any unaccompanied children to their school group and request a responsible them.	adult then accompanies

Potential Rating	Additional Controls Required	
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.	

Current Rating	Hazard Information Task Status	
Low	Machinery Unaccompanied children getting trapped in lift through malfunction or misuse.	0 0 0
	Measures Currently in place to prevent risk of injury	
	Children should not use the lift unless accompanying an adult and another child who requires access disability. Museum staff will request school groups to use the stairs wherever possible.	to the lift because of

Potential Rating	Additional Controls Required	
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.	

Current Rating	Hazard Information Task Status	
Low	Fatigue Children requiring refreshment breaks for dehydration, hunger or requiring rest.	0 0 0
	Measures Currently in place to prevent risk of injury	
	Spaces within the Workshop areas are available for pupils to eat lunch and lunch breaks are schedul Pupils under supervision can have access to their coats and bags if food or drink is required for medi workshops.	
	Teachers should ensure that any child who requires food or drink with them is allowed to do so. Teach ensure that all pupils bring a packed lunch and drink with them when visiting.	ners are also expected to

Potential Rating	Additional Controls Required	
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.	

Current Rating	Hazard Information Task Status		Task Status
Low Environmental Pupils working or lunching on Roman Lawn at risk from tripping, slipping or falling.		0 0 0	
	Measures Currently in	n place to prevent risk of injury	
		ess the lawn when it is dry. Visual check of the area to identify any hazards to be wn. Children to move sensibly and not run. Children remain under control of tea	
	Potential Rating	Additional Controls Required	
	Low	No Remedial Actions Entered	

with this hazard please use the form above to enter them.

Current Rating	Hazard Information	Task Status
Low	Environmental Working on Roman Lawn in hot weather may lead to over-heating, sun-burn, dehydration and insect bites	0 0 0
	Measures Currently in place to prevent risk of injury	
	Pupils only work outside for a limited time and where possible in a shaded area. Drinks and sunhats s if provided. Teachers will be told in advance that outside space is available so they can decide if this i avoid direct contact with any insects they find. Any child feeling uncomfortable will be able to return to accompanying adult from the school.	s suitable. Pupils should



If there are any reasonably practicable actions which can be taken to reduce the risk associated

Current Rating	Hazard Information Task Status	
Low	Biological Contamination risk from pupils handling museum objects in workshops and within the public areas of the Museum .	0 0 0
	Measures Currently in place to prevent risk of injury	
	Objects used for artefact handling are regularly checked and where possible cleaned. Pupils request in their mouths after handling objects. Museum public areas are cleaned daily. Opportunities to wash toilets are scheduled into the day's activities.	

Potential Rating	Additional Controls Required	
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.	

Current Rating	Hazard Information Task Status	
Low	Fire Safety Emergency evacuation of school groups in case of fire. Possibility of pupils being separated from main group.	0 0 0
	Measures Currently in place to prevent risk of injury	
	School groups will be guided by workshop leader or member of staff accompanying group at this time area in Market Square. School groups will be requested to remain in this area until a full evacuation has been completed and School groups will not be allowed to return to the building until the all clear is given. Teachers remain all times. Workshop leader or member of allocated staff with the group will ensure that no-one uses the lift. Sho group require assistance to manage stairs safely, the route through the boat gallery is to be used whe located on the top floor when the alarm sounds. If there is an issue with an individual on the Mezzanir request pupil and responsible adult from the school remains near the chair lift at the top of the stair w cleared from the building. Staff member should then alert management/fire service individuals to aid a waiting on stairs.	I the building is secure. in charge of their pupils at puld individuals from the ere possible if visitors are be Gallery, staff member to while the rest of the group is

Potential Rating	Additional Controls Required
Low	No Remedial Actions Entered If there are any reasonably practicable actions which can be taken to reduce the risk associated with this hazard please use the form above to enter them.